



Organisation Chain :	Projects and Development India Limited, Fert
Tender ID :	2025_PDIL_886333_1
Tender Ref No :	PNMM/PC230/E/001
Tender Title :	AMMONIA-UREA FERTILIZER PLANT AT AVFCCL, NAMRUP, ASSAM
Corrigendum Type :	Technical Bid

Corrigendum Document Details

Corr.No.	Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)
1	CORRIGENDUM_15	CORRIGENDUM_15	13-May-2026 05:59 PM	CORRIGENDUM_15.pdf	161.80
2	RESPONSELOT11	RESPONSELOT11	13-May-2026 05:52 PM	RESPONSELOT11.pdf	726.93
3	CORRIGENDUM-14	CORRIGENDUM-14	30-Apr-2026 06:57 PM	Corrigendum14.pdf	252.94
4	RESPONSELOT10	RESPONSELOT10	30-Apr-2026 06:46 PM	RESPONSELOT10.pdf	376.73
5	Corrigendum_13	Corrigendum_13	24-Apr-2026 06:08 PM	Corrigendum_13.pdf	1003.37
6	Responselot9	Responselot9	22-Apr-2026 06:22 PM	RESPONSELOT9.pdf	9155.50
7	Responselot8	Responselot8	21-Apr-2026 06:27 PM	Responselot8.pdf	1539.33
8	Corrigendum11	Corrigendum11	15-Apr-2026 01:05 PM	CORRIGENDUM11.pdf	5047.78
9	Responselot7	Responselot7	13-Apr-2026 03:30 PM	Responselot7.pdf	2477.09
10	Responselot6	Responselot6	30-Mar-2026 02:47 PM	Responselot6.pdf	681.21
11	Corrigendum10	Corrigendum10	25-Mar-2026 12:28 PM	Corrigendum10.pdf	3000.79
12	Corrigendum_9	Corrigendum_9	19-Mar-2026 06:06 PM	corrigendum9.pdf	1017.69
13	Responselot5	Responselot5	18-Mar-2026 04:48 PM	Responselot5.pdf	356.09
14	CORRIGENDUM8	CORRIGENDUM8	18-Mar-2026 04:44 PM	Corrigendum8.pdf	475.65
15	Corrigendum 7	Corrigendum7	11-Mar-2026 11:23 AM	corrigendum7.pdf	1164.15
16	ResponseLot4	ResponseLot4	25-Feb-2026 06:14 PM	ResponseLot4.pdf	1002.08
17	Corrigendum 6	GEOTECHNICAL INVESTIGATION REPORT	24-Feb-2026 05:50 PM	FinalReport.pdf	5970.92
18	corrigendum_4	corrigendum_4	10-Feb-2026 04:53 PM	Corrigendum4.pdf	3671.82
19	ResponseLot3	ResponseLot3	28-Jan-2026 12:30 PM	Responselot3.PDF	356.27
20	Responselot2	Responselot2	27-Jan-2026 12:04 PM	Responselot2.pdf	3570.23
21	corrigendum2	corrigendum2	08-Jan-2026 06:39 PM	corrigendum2.pdf	262.74
22	ResponseLot1	ResponseLot1	08-Jan-2026 06:33 PM	responselot1.pdf	1009.18